


COUNTERWEIGHT OR CLAMP TO STRUCTURE TO PROVIDE RESISTANCE TO OVERTURNING WITH A SAFETY FACTOR OF 4 TO 1. REFER TO TABLE BELOW FOR REQUIREMENTS. USE COUNTERWEIGHT ADAPTERS TO SECURE ADDITIONAL WEIGHTS AS REQUIRED.

ALWAYS SUPPORT DIRECTLY UNDER TRUSS POST BASE ROOF, SLAB, PARAPET OR OTHER SUPPORTING SURFACES MUST BE VERIFIED AS ADEQUATE TO SUPPORT LOADING

1000 LBS
MAX CAPACITY

COUNTERWEIGHT REQUIRED			
#	MAX. LOAD	REACH	COUNTERWEIGHT
1	1,000 LBS	10 FT	1280 LBS





UNLESS OTHERWISE SPECIFIED

TITLE:
10 FT CABLE TRUSS SYSTEM
WITH 32FT BACKSPAN

DO NOT SCALE	DRAWN: DF	DATE: 2/18/2019	SCALE:
MANUFACTURING TOLERANCES UNLESS OTHERWISE SPECIFIED	This drawing is the property of Winsafe Corp. It is loaned with the express agreement that the drawing and the information contained therein are property of Winsafe Corp., and will not be used in whole or in part to assist in making or to furnish any information for the making of apparatus or parts thereof except upon written permission of Winsafe Corp.		
ANGULAR ± 0.5°	CHECK: RV	APP: ST	Ba
FRACTIONAL ± 1/32"	DRAWING NO.: SK101718		
2 PLC. DEC. ± 0.01"			
3 PLC. DEC. ± 0.001"			
4 PLC. DEC. ± 0.0005"			

Parts List			
ITEM	PART NUMBER	DESCRIPTION	QTY
1	WSOR37	8 FT MID BEAM	2
2	WSOR39	8 FT REAR OR MID BEAM FOR 10 FT CT	2
3	WSOR40H	30 INCH BEAM SPLICE	3
4	WSOR253	FRONT BEAM SECTION - 10 FT.	1
5	WSOR473	WSOR 433 - 10 FT CABLE TRUSS ASSY	1



UNLESS OTHERWISE SPECIFIED

TITLE:
10 FT CABLE TRUSS SYSTEM
WITH 32FT BACKSPAN

DO NOT SCALE	DRAWN: DF	DATE: 2/18/2019	SCALE:
MANUFACTURING TOLERANCES UNLESS OTHERWISE SPECIFIED	<small>This drawing is the property of Winsafe Corp. It is loaned with the express agreement that the drawing and the information contained therein are property of Winsafe Corp., and will not be used in whole or in part to assist in making or to furnish any information for the making of apparatus or parts thereof except upon written permission of Winsafe Corp.</small>		CHECK: RV APP: ST DRAWING NO.: SK101718
<small>ANGULAR ± 0.5°</small> <small>FRACTIONAL ± 1/32"</small> <small>2 PLC. DEC. ± 0.01"</small> <small>3 PLC. DEC. ± 0.001"</small> <small>4 PLC. DEC. ± 0.0005"</small>			Ba

REVISION HISTORY				
REV	DESCRIPTION	DATE	REVISED BY	APPROVED
Ba	MODIFIED TO ACCOMODATE WSOR 473 Ca	06/26/19	RV	ST